

# Google scholar

"defect management area" AND "copy protectic

Search

[Advanced Scholar Search](#)

[Scholar Preferences](#)

Scholar

Articles and patents

anytime

include citations

Results 1 - 10 of about 16. (0.20 sec)

## [Copy protection system for recording media](#)

S Otsuka - US Patent 6,094,723, 2000 - Google Patents

... 25,2000 [54] COPY PROTECTION SYSTEM FOR RECORDING MEDIA [75] Inventor: Satoshi

Otsuka, Kanagawa, Japan [73] Assignee: Sony Corporation, Tokyo, Japan [ \* ] Notice: This ...

25,2000 Sheet 3 of 21 6,094,723 CD ro 6 il <W (jjjjj \_\_ cc< cocc — fr te- ^J < UJ CC < UJ 2 cr ...

Cited by 1 - Related articles - All 2 versions

## [Reproduction apparatus and method for reproducing a unique medium identifier](#)

PHC Bentvelsen, P Ijtsma ... - US Patent App. 10/597,760, 2005 - Google Patents

... [0002] On media it is required for various reasons, such as copy protection or internet ... A record

carrier according to the present invention having a data area and a defect management area

is defined in ... at the end of the data area (in the case of BD-, DVD- and CD-Mount Rainier). ...

All 5 versions

## [Method of storing a disc-ID on a record carrier, device and record carrier](#)

GJ Van Den Enden, AAM Staring - US Patent App. 10/838,994, 2004 - Google Patents

... When an MO disc is used, an unused sector in the defect management area (DMA) may be used

as a ... very well possible with the current equipment (for example, the CD-R and CD-RW recorders ...

inter alia, the advantage that, if the disc-ID forms part of a copy protection system or ...

All 2 versions

## [Method of storing a disc-ID on a record carrier, device and record carrier](#)

EGJ Van Den, AAM Staring - 2004 - freepatentsonline.com

... When an MO disc is used, an unused sector in the defect management area (DMA) may be used

as a ... very well possible with the current equipment (for example, the CD-R and CD-RW recorders ...

inter alia, the advantage that, if the disc-ID forms part of a copy protection system or ...

All 2 versions

## [METHOD OF STORING A IDENTIFICATION ON A RECORD CARRIER, DEVICE ...](#)

EGJ Van Den, AAM Staring - 2004 - freepatentsonline.com

... When an MO disc is used, an unused sector in the **defect management area** (DMA) may be used as a ... very well possible with the current equipment (for example, the CD-R and CD-RW recorders ... inter alia, the advantage that, if the disc-ID forms part of a **copy protection** system or ...

[All 2 versions](#)

### Method and apparatus for preventing unauthorized use by comparing medium ...

K Nakashima, K Naito - US Patent 5,930,825, 1999 - Google Patents

... Spesivtsev, AV, "Software Copy Protection Systems: Structure, Analysis, Attacks", IEEE/IEE Publications Ondis ... SCSI BUS R DM TR 8 \* Kj HOST BUS CD Z CO ... 10624 BLANK PORTION INNER CONTROL TRACK (CONTROL ZONE) DEFECT MANAGEMENT AREA USER DATA ...

[Cited by 3](#) · [Related articles](#) · [All 2 versions](#)

### Method and manufacture for preventing unauthorized use by judging the ...

K Nakashima, K Naito - US Patent 5,661,800, 1997 - Google Patents

... Spesivtsev, AV, "Software Copy Protection Systems: Structure, Analysis, Attacks", TREE/EBB Publications ... 22 5,661,800 SCSI BUS <X<c HOST BUS CD LU ^—co ... 3 BLANK PORTION INNER CONTROL TRACK (CONTROL ZONE) DEFECT MANAGEMENT AREA USER DATA ...

[Cited by 2](#) · [Related articles](#) · [All 2 versions](#)

### PLAYBACK DEVICE AND MANAGEMENT INFORMATION ACQUIRING METHOD

M Yamamoto, A Ishimaru, K Yorimoto - 2008 - freepatentsonline.com

... the optical disc according to this embodiment is similar to the CD (Compact Disc ... the recording/playback power conditions, disc area information, information used for **copy protection**, and the ... of disc systems, the DMA is generally referred to as "Defect Management Area" in which ...

### Disc recording medium, disc drive apparatus, reproduction method, and disc ...

S Kobayashi - US Patent App. 10/433,756, 2004 - Google Patents

... FIG. 2 PRERECORDED DATA ZONE TEST WRITE AREA DEFECT MANAGEMENT AREA READ-IN ZONE READ-OUT ZONE SS r+ ft! ... 7 A3-5 A3-6 A3-7 A4-5 A4-6 A4-7 AO-5 AO-6 AO-7 6 7 A7-8 A6-8 A5-8 A1-8 A2-8 A3-8 A4-8 AO-8 f8 p p^ ffi o B Z o 2 UNITS- 1 U CD #0 # ...

[Related articles](#) · [All 7 versions](#)

### Write-once recording medium on which portion of the data is logically overwritten

M Terada, S Kobayashi - US Patent 7,349,301, 2008 - Google Patents

... Optical disks include, for example, playback-only disks 2s known as CD, CD-ROM, DVD-ROM, and so forth, and user-data-recordable disks known as MD, CD-R, CD-RW, DVD-R, DVD-RW, DVD+RW, DVD-RAM, and so forth. ...

[All 2 versions](#)

Google ►

Result Page: [1](#) [2](#) [Next](#)

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google